

CONTENTS



| #1 IN THE WORLD | Page | 2 |
|---------------------------|-------|-----|
| Si | lca | 2 |
| Quality and Certification | ns | 2 |
| Key duplicat | ion | 3 |
| Accessories and spare pa | ırts | 4 |
| Silca Softw | are | 5 |
| Essential to | ols (| 6-7 |

MECHANICAL KEY CUTTING MACHINES





Bravo, Poker Pro, Rekord, Speed, Delta 2000 A,
Flash 008, Matrix, Twister II, Swift, Omnia, Fastbit,
Lancer Plus, Crown, Delta 2000 FO, Delta 2000
MC, Rekord AY, Duo

ELECTRONIC KEY CUTTING MACHINES

Page 39

36, 37



Futura Pro, Futura Auto, Triax Pro,
Futura Pro One, Unocode Pro, Futura Edge
Unocode 399 Plus, Unocode 299,
UC199, Idea

Comparison table of key cutting

machines based on key type

Comparison table of key cutting 52, 53 machines based on key type

SEMI-INDUSTRIAL MACHINES

Page 55




Pro-Tech 56

Comparison table for 57
the production of Master Key Systems

AUXILIARY DEVICES

Page 59



Optika 60 Optika Light Marker 2000

#1 IN THE WORLD



SILCA

Silca is the global brand of reference for the production of keys and the production of professional and industrial machines dedicated to key duplication. Silca has been responsible for the most important technological evolutions in key duplication such as the first electronic key cutting machine capable of copying keys by code. Silca machines

are born from a long tradition, from a know-how recognized at a global level and from the expertise and passion of engineers who understand keys in every detail.

QUALITY AND CERTIFICATIONS

Product quality is fundamental to Silca and we invest continuously to guarantee a level of quality that is both independently certified and designed to last. The recognition received is the result of Silca's commitment to quality and sustainability.

Silca holds the following standards:

- ISO 9001:2008,
- IATF 16949:2016 (Automotive),
- UNI EN ISO14001:04 (EMS),
- BS-OHSAS 18001:07





KEY DUPLICATION





THE KEY CUTTING MACHINE MOST SUITABLE FOR YOU

This catalogue presents every key cutting machine, both mechanical and electronic, in a standard, easy to read format that gives the machine's key technical and functional characteristics to help you to choose the machine best suited to your needs.

For each machine, in addition to the technical characteristics, the main accessories are also detailed.

COMPARISON TABLES

These sections developed by Silca experts, allow you to quickly compare the different models in the same family to understand the differences and decide which is the right machine for your business. The comprehensive final summary table also allows you to see the whole range, across model families, by the types of keys cut.







ACCESSORIES AND SPARE PARTS



OPTIONAL ACCESSORIES

The same passion and attention to detail dedicated to the design and creation of every key cutting machine is also applied to the range of Silca accessories.

Clamps, jaws, feeders: every component is studied based on the structure of the machine for which it will be used.

ORIGINAL SPARE PARTS

Original Silca spare parts are made from the highest quali-

ty materials, assembled with maximum care and precision tested.

They are made to ensure that optimum performance and precision levels last over time.

ORIGINAL COSUMABLES

Silca offers a vast range of original consumables like cutters, tracers and brushes.

All Silca consumables conform to the same guaranteed high quality levels that Silca delivers with key cutting machines.

GUARANTEED COMPONENTS

Original Silca components are designed and produced to respect the requirements of the CE standard. In cases of repair or substitution the CE standard is only guaranteed if original Silca spare parts are used. Silca guarantees to supply parts for 7 years after the discontinuation of a product.





SILCA SOFTWARE





SILCA KEY PROGRAMS PRO

is the software platform developed by Silca to cut keys with the electronic key cutting machines using the original dimensions set by lock manufacturers, ensuring high quality and precise results. SKP has a modular structure to support different customer needs.

SILCA SOFTWARE INTERFACE (SSI)

Silca Software Interface is a software module that allows you to import and manage .dat and


.xml data typically used in the production of master key systems. The management of job queues optimizes the phases of key duplication and engraving; useful during installations.


CODE MAKER

Code Maker is an SKP module for creating key cutting cards not yet present in the Silca database. This function allows you to create cards for flat, dimple, bit, double bit and pump keys.

SILCA OEM CLIENT

Silca OEM Client (SOC) is a software functionality that allows authorized locksmiths to copy Mottura[®], Evva[®] and Assa[®] keys. The function ensures full traceability of the duplicates, which are archived and tallied. The OEM transmits the encrypted cutting parameters directly to the machine, guaranteeing the highest level of security in the key duplication service.







ON-LINE SUPPORT



MYSILCA APP

Every day Silca stands by your side with digital solutions that help you identify and use our products. MySilca is the app that provides free and prompt access to the entire range of Silca products, with real time updates on the latest keys, key cutting machines, automotive solutions and remotes. Essential support material such as technical data, brochures, photos and videos are also available 24/7, so you can al-

ways keep our expertise close at hand. MySilca App is optimized for smartphone and tablet, is compatible with Android and iOs systems, and is available in six languages (English, Italian, German, French, Spanish, Portuguese).

BARCODE ORDERING


With MySilca App placing orders is fast and easy. With the 'Barcode Ordering' function you can scan the barcodes of the keys and accessories you want to purchase and place your order with a simple click. You can contact Silca, your agent or your distributor. You can scan the barcodes directly from the boxes of the products or from the Barcode catalogues available from your Silca representative.





ON-LINE SUPPORT





THE CATALOGUE

The Catalogue is the largest residential and automotive key database worldwide. The breadth and quality of the information available make it the essential tool to find the key you need. You can search residential keys by original make; or by make, model and year if you're browsing automotive keys. Additional filters can be applied to improve the results. You can also create personalized collections and print out


key tags for your display, customizing them with information such as hook position and price.

REMOTES AND COMPLE-MENTARY PRODUCTS SEARCH

The Catalogue includes the assortment of Silca complementary products, such as key rings, engravable key tags, carabiners and snap hooks, together with the range of original residential remotes compatible with Silca Air4. Video tutorials guiding you through the programming pro-


cedures are available for numerous remote models. Registration is free at thecatalogue. silca.biz.













FOR FLAT, VEHICLE AND CRUCIFORM KEYS




- High quality and versatile clamps
- Carriage safety system
- Automatically activated cutter

- Automatic tightening of the belt
- Electromagnetic safety switch
- Long-lasting components

MODELS:

Bravo Professional **Bravo Evolution** Bravo Bd Évolution Bravo Maxima Bravo Maxima Plus

Bravo W-Max Bravo Sofer 2P Bravo D12







BRAVO

FOR FLAT, VEHICLE AND CRUCIFORM KEYS



| FEATURES IN COMPARISON | BRAVO EVOLUTION | BRAVO PROFESSIONAL | BRAVO MAXIMA | BRAVO W-MAX |
|--|--------------------|-----------------------|-----------------|----------------|
| Revolving 4-sided clamp | | • | • | • |
| Reversible 2/3-sided clamp | • | | | |
| Slotted clamps for cutting double-sided keys | • | • | • | • |
| Burnished metal clamps | • | • | • | • |
| Tracer point with micrometric adjustment | • | • | | |
| Digital tracer point with micrometric adjustment | | | • | • |
| Single speed cutter motor | • | • | | |
| Double speed cutter motor | | | • | • |
| Electromagnetic safety switch | • | • | • | • |
| Carriage safety system | • | • | • | • |
| Automatically activated cutter | • | • | • | • |
| Protective shield | • | • | • | • |
| Dynamometric clamp knob | • | • | • | • |
| Automatic tightening of the belt | • | • | • | • |
| Lamp | • | • | • | • |
| Brush ø 80x20mm | • | • | • | • |
| Cutter made of Widia | | | | • |
| Cutter made of HSS (High Speed Steel) | • | • | • | |
| Weight | kg 21,5 | kg 21,5 | kg 22,5 | kg 22,5 |












POKER PRO

FOR FLAT, VEHICLE AND CRUCIFORM KEYS



- Practical and ergonomic work station
- Sintered, four-sided clamps with Silca patented rotating system
- Optical reader for quality key cutting

- Visual and audible warnings
- Protective shield
- Optimized cutter wear














- Sintered, nickel-plated clamps
- Electromagnetic safety switch
- Automatic tightening of the belt
- Cutter made of HSS (High Speed Steel)
- Brush ø 80x15mm



MODELS:

Rekord, Rekord S, Rekord Sofer, Rekord D12

| FEATURES IN COMPARISON | REKORD | REKORD S |
|---|--------|----------|
| Revolving, sintered, 4-sided clamps with nickel plating | • | • |
| Tracer point with micrometric adjustment | • | • |
| Automatically activated cutter | | • |
| Carriage safety system | • | • |
| Brush ø 80x15mm | • | • |
| LED lamp | • | • |
| Weight | kg 19 | kg 19 |




SPEED

FOR FLAT, VEHICLE AND CRUCIFORM KEYS



- Sintered, nickel-plated clamps
- Single speed cutter motor
- Electromagnetic safety switch
- Protective shield
- Accessories area
- Swarf tray
- Wide range of optional accessories
- Brush ø 80x16mm



MODELS:

Speed, Speed S

| FEATURES IN COMPARISON | SPEED | SPEED S |
|---|-------|---------|
| Revolving, sintered, 4-sided clamps with nickel plating | • | • |
| Tracer point with micrometric adjustment | • | • |
| Electromagnetic safety switch | • | • |
| Automatically activated cutter | | • |
| Cutter made of HSS (High Speed Steel) | • | • |
| Fixing bracket | • | • |
| Weight | kg 14 | kg 14 |


DELTA 2000 A

FOR FLAT, VEHICLE AND CRUCIFORM KEYS





- Revolving, sintered, 4-sided clamps with nickel plating
- Tracer point with micrometric adjustment
- Electromagnetic safety switch
- Single speed cutter motor
- Fast and automatic key duplication
- Ergonomic knobs and levers
- Swarf tray
- Brush ø 55x15mm
- Weight kg 14












FLASH 008

FOR FLAT, VEHICLE AND CRUCIFORM KEYS



- Compact and lightweight
- Revolving, sintered, 4-sided clamps with nickel plating
- Tracer point with micrometric adjustment
- AlTiN-coated cutter made of HSS (High Speed Steel)
- Wear-resistant components
- Fixing bracket
- Brush ø 58x14mm
- Weight kg 6,4





MODELS:

Flash 008, Flash 008 Extra CEE



FLASH 008
FOR FLAT, VEHICLE AND CRUCIFORM KEYS







MATRIX FOR LASER AND DIMPLE KEYS



- Tilting clamps
- Electromechanical calibration system
- Protective shield
- Cutters made of HSS (High Speed Steel)
- Carriage movements on bearing guides
- Pull-out accessories compartment

MODELS:

Matrix Pro, Matrix Pro S, Matrix Evo, Matrix Evo S

KEY TYPES





FOR LASER AND DIMPLE KEYS



| FEATURES IN COMPARISON | MATRIX PRO | MATRIX PRO S | MATRIX EVO | MATRIX EVO S |
|---|------------|--------------|------------|--------------|
| Tilting clamp +- 45° | • | | • | |
| Spring loaded tracer point | • | • | • | • |
| Electromechanical calibration | • | • | • | • |
| Coated aluminium knobs | • | • | | |
| Polymer knobs | | | • | • |
| Electromagnetic safety switch | • | • | • | • |
| Cutter speed of 6000 rpm | • | • | • | • |
| Automatically activated cutter | • | • | • | • |
| Cutting tools with patented identification collar | • | • | • | • |
| Quick-release system of the cutter and tracer point with self-centering gripper | • | • | | |
| Manual cutter and tracer point release | | | • | • |
| Blocking system for X and Y axes carriages | • | • | • | • |
| Blocking system for Z-axis | • | • | • | • |
| LED lighting | • | • | • | • |
| Automatic light switch-on | • | • | | |
| Manual light switch-on | | | • | • |
| Roll bar rest for the left hand | • | • | • | • |
| Tubular key duplication | • | • | | |
| Type HU66 laser key duplication | • | • | • | • |
| Abus®, Bricard®, Cisa® key duplication | • | • | • | • |
| Adapter for Fichet® keys (type H) | • | | • | |
| Adapter for Mercedes® keys type HU64 | | • | | • |
| Accessories area mat | • | • | • | • |
| Pull-out accessories compartment | • | • | • | • |
| Weight | kg 24,6 | kg 24,6 | kg 24,6 | kg 24,6 |









TWISTER II

FOR LASER AND DIMPLE KEYS



- Laser and dimple key duplication
- Spring loaded tracer point
- Replaceable jaws of the clamp on the cutter side
- Electromagnetic safety switch
- Cutter speed of 6000 rpm
- Blocking system for X and Z axes
- Carriage movements on bearing guides
- Weight kg 24









TWISTER II FOR LASER AND DIMPLE KEYS







SWIFTFOR LASER AND DIMPLE KEYS



- Compact and lightweight
- Resistant and reliable
- Easy to use
- Safe for the user
- Accessories area
- Carriage movements on shafts and bearings



MODELS:

Swift, Swift Plus






SWIFT

FOR LASER AND DIMPLE KEYS



| FEATURES IN COMPARISON | SWIFT | SWIFT PLUS |
|--|-------|------------|
| Replaceable jaws of the clamp on the cutter side | • | • |
| Spring loaded tracer point | • | • |
| TiN-coated HSS cutter for laser and dimple keys | • | • |
| Burnished steel clamps | • | • |
| Blocking system for tubular key alignment | | • |
| Nickel-plated tracer point ring nut | | • |
| Gauge for installing tubular keys | • | • |
| Electromagnetic safety switch | • | • |
| Axes blocking system | • | • |
| Manual release of the cutter and tracer point | • | • |
| Cutter speed of 8000 rpm | • | • |
| Z-axis adjustment ring nut | • | • |
| Lamp | | • |
| Ergonomic hadles | • | • |
| Long-lasting motor | • | • |
| Accessories area | • | • |
| Adapter for Mercedes® type keys supplied as standard | | • |
| Laser, dimple and tubular key duplication | • | • |
| Weight | kg 12 | kg 12 |












OMNIA FOR BIT AND DOUBLE BIT KEYS



- Designed for clamping long-stemmed keys
- Carriage movements by bearing guides
- Automatic safety switch-off
- Tool holder for accessories and tailstocks
- TiN-coated cutter made of HSS (High Speed Steel)
- Excellent view and access to the working area

MODELS:

Omnia, Omnia Max, Omnia W-Max, Omnia 650 rpm







OMNIA FOR BIT AND DOUBLE BIT KEYS



| FEATURES IN COMPARISON | OMNIA | OMNIA 650 rpm | OMNIA MAX | OMNIA W MAX |
|---|----------|---------------|-----------|-------------|
| Cutter made of HSS (High Speed Steel) | | • | | |
| TiN-coated HSS cutter | • | | • | |
| Cutter made of Widia | | | | • |
| Cutter speed | 386 rmp | 650 rmp | 386 rmp | 650 rmp |
| Tailstock for male and female keys | Optional | Optional | Optional | Optional |
| Knobs and levers made of polymer | • | • | | |
| Coated aluminium knobs | | | • | • |
| Vertical cuts carriage | Optional | Optional | • | • |
| Vertical cuts clamp with dynamometric knob | | | | • |
| Vertical cuts clamp with standard knob | • | • | • | |
| Spring loaded tracer point | • | • | • | • |
| Spring loaded tracer point knob made of polymer | • | • | • | |
| Chrome-plated spring loaded tracer point knob | | | | • |
| LED light | • | • | • | • |
| Protective shield | • | • | • | • |
| Automatically activated cutter | • | • | • | • |
| Electromagnetic safety switch | • | • | • | • |
| Tracer point with micrometric adjustment | • | • | • | • |
| Single speed cutter motor | • | • | • | • |
| Brush ø 80x20mm | • | • | • | • |
| Switch for brush activation | • | • | • | • |
| Accessories holder | • | • | • | • |
| Self-centering clamps | • | • | • | • |
| Tilting clamp on the cutter side | • | • | • | • |
| Adjustable clamp knobs | • | • | • | • |
| X-axis blocking knob | • | • | • | • |
| Weight | kg 32 | kg 32 | kg 33,5 | kg 33,5 |







FASTBIT FOR BIT AND DOUBLE BIT KEYS




- Spring loaded tracer point
- Electromagnetic safety switch
- Protective cutter shield
- Brush ø 80x16mm

- Ergonomic knobs and levers
- Swarf tray

MODELS:

Fastbit, Fastbit II







FASTBIT FOR BIT AND DOUBLE BIT KEYS



| FEATURES IN COMPARISON | FASTBIT | FASTBIT II |
|--|----------|------------|
| Single speed cutter motor | • | • |
| Tilting clamp on the cutter side | • | • |
| Spring loaded tracer point | • | • |
| Tracer point with micrometric adjustment | • | • |
| Vertical cuts adapter | Optional | Optional |
| TiN-coated HSS cutter with side cuts | • | |
| Cutter made of Widia | Optional | • |
| Cutter speed | 600 rpm | 600 rpm |
| Polymer knobs | • | • |
| Adjustable clamp knob | • | |
| Ergonomic handles | | • |
| Shaft movement on bushes | • | • |
| Electromagnetic safety switch | • | • |
| Mail box key duplication | | • |
| Abloy® key duplication | | • |
| Abus® Granit key duplication | | • |
| Chubb® key duplication | | • |
| Protective cutter shield | • | • |
| Brush ø 80x20mm | • | • |
| Swarf tray | • | • |
| Fixing bracket | • | • |
| Weight | kg 15,4 | kg 15,5 |








LANCER PLUS

FOR BIT AND DOUBLE BIT KEYS AND KEYS WITH INTERNAL CUTS



- 2-sided, rotating clamp
- HSS cutter for frontal and side cuts
- Synchronized movement on 3 axes

- Cutter activation microswitch
- Keys with internal cuts duplicated without removing the key
- Weight kg 33











FOR SPECIAL KEYS











MODELS: Crown T10 Crown T15

| FEATURES IN COMPARISON | CROWN T10 | CROWN T15 |
|--|-------------------------------------|-------------------------------------|
| Clamp T10 | • | Optional |
| Clamp T15 | | • |
| Interchangeable optional clamps | • | • |
| Self-centering clamp | • | • |
| Clamp for cutting keys all-round (360°) | • | • |
| Preset angled positions | 6 pos. every 60° - 8 pos. every 60° | 6 pos. every 60° - 8 pos. every 45° |
| Diameter of tubular keys that can be installed | from ø 9,2 to ø 10,2 | from Ø 6 to Ø 12,5 |
| Standard cutter diameter | ø 5,95 | ø 2,5 - ø 5,95 |
| Selector for angled position | • | • |
| Block for angled rotation | • | • |
| Weight | kg 15,5 | kg 15,5 |




DELTA 2000 FO


FOR SPECIAL KEYS



- Compact, versatile, easy to use
- Adjustable tracer point
- Single speed cutter motor
- Interchangeable carriage

- Cutter made of HSS (High Speed Steel)
- Brush ø 55x15mm
- Weight kg 14
- Duplicates Tibbe Ford® and Jaguar® type keys









DELTA 2000 MC

FOR SPECIAL KEYS






- Compact, versatile, easy to use
- Adjustable tracer point
- Single speed cutter motor
- Interchangeable carriage

- Cutter made of HSS (High Speed Steel)
- Brush ø 55x15mm
- Weight kg 14
- Duplicates Ford[®], Abus[®], Abloy[®] and Ava[®]-Chubb[®]












REKORD AY

FOR SPECIAL KEYS



- Burnished metal clamps
- Tracer point with micrometric adjustment
- Cutter made of HSS (High Speed Steel)
- Electromagnetic safety switch
- Automatic tightening of the belt

- Protective shield
- LED lighting
- Copy by code
- Brush ø 51x15mm
- Weight kg 14











REKORD AY FOR SPECIAL KEYS








DUO COMBINED



- Double cutting station
- Long-lasting components
- Illumination
- Carriage release system
- Ergonomic hadles

MODELS:

Duo, Duo Plus, Duo Sofer, Duo Power







DUO COMBINED



| FEATURES IN COMPARISON | DUO | DUO PLUS | DUO POWER |
|--|-------|----------|-----------|
| Rotating, sintered, 4-sided clamps with nickel plating | • | • | • |
| Spring loaded tracer point | - | - | - |
| Single speed cutter motor | • | • | • |
| Tracer point with micrometric adjustment | • | • | • |
| Prismatic cutter made of HSS (High Speed Steel) | • | • | • |
| HSS cutter - thickness 1,25 mm | • | • | • |
| Electromagnetic safety switch | • | • | • |
| Ergonomic handles | • | • | • |
| Long neck pump key duplication | • | • | • |
| Short neck key duplication | | | • |
| Bit and double bit key duplication | • | • | • |
| Square-stemmed pump key duplication | | | • |
| Abloy® key clamping | | • | |
| Chubb® key clamping | | • | |
| Mail box key clamping | • | • | |
| Abus® Granit key clamping | | • | |
| Tool holder | • | • | • |
| Brush ø 80x16mm | • | • | • |
| Lamp | • | • | • |
| Swarf tray | • | • | • |
| Weight | kg 23 | kg 23 | kg 23 |







COMPARISON TABLE OF KEY CUTTING MACHINES BASED ON KEY TYPE

| MECHANICAL | SIDED | SIDED | ORM | EYS | KEYS | BLE | EYS | Œ | E = | 푸 ᆜ | D ТҮРЕ 3D3, 3D7) |
|------------------------|---------------------------|---------------------------|-------------------|------------|-------------|------------------------|-----------|-----------------|-------------------------------|-------------------------------|--|
| KEY CUTTING MACHINE | SINGLE SIDED FLAT KEYS | DOUBLE SIDED FLAT KEYS | CRUCIFORM KEYS | LASER KEYS | DIMPLE KEYS | BIT/DOUBLE BIT KEYS | PUMP KEYS | TUBULAR KEYS | KEYS WITH INTERNAL CUTS | KEYS WITH VERTICAL CUTS | BRICARD TYPE KEYS (XBD3, XBD4, XBD7) |
| Bravo Bd Évolution | • | • | • | _ | _ | | | | | | |
| Bravo D12 | • | • | • | | | | | | | | |
| Bravo Evolution | • | • | • | | | | | | | | |
| Bravo Maxima | • | • | • | | | | | | | | |
| Bravo Maxima Plus | • | • | • | | | | | | | | |
| Bravo Professional | • | • | • | | | | | | | | |
| Bravo Sofer 2P | • | • | • | | | | | | | | |
| Bravo W-Max | • | • | • | | | | | | | | |
| Crown T10 | | | | | | | | • | | | |
| Crown T15 | | | | | | | | • | | | |
| Delta 2000 A | • | | • | | | | | | | | |
| Delta 2000 FO | | | | | | | | | | | |
| Delta 2000 MC | | | | | | | | | | | |
| Duo | • | • | • | | | | • | | | • | |
| Duo Plus | • | • | • | | | | • | | | • | |
| Duo Power | • | • | | | | | | | | | |
| Duo Sofer | • | • | • | | | | • | | | • | |
| Fastbit | | | | | | | | | | • | |
| Fastbit II | | | | | | • | | | | • | |
| Flash 008 | • | • | | | | | | | | | |
| Flash 008 Extra CEE | • | • | • | | | | | | | | |
| Lancer | | | | | | • | • | | • | • | |
| Matrix Evo | | | | | | | | | | | |
| Matrix Evo S | | | | | • | | | | | | |
| Matrix Pro | | | | | | | | | | | |
| | | | | • | • | | | • | | | |
| Matrix Pro S | | | | • | • | | | | | | |
| Omnia | | | | | | • | • | | | • | |
| Omnia Max Omnia W-Max | | | | | | • | • | | | | |
| | | | | | | • | • | | | • | |
| Omnia 650 rpm | | | | | | • | • | | | • | |
| Poker Pro | • | • | • | | | | | | | | |
| Rekord | • | • | • | | | | | | | | |
| Rekord AY | | | | | | | | | | | |
| Rekord D12 | • | • | • | | | | | | | | |
| Rekord S | • | | • | | | | | | | | |
| Rekord Sofer | • | • | • | | | | | | | | |
| Speed | • | • | • | | | | | | | | |
| Speed S | • | • | • | | | | | | | | |
| Swift | | | | • | • | | | • | | | |
| Swift Plus | | | | • | • | | | • | | | |
| Twister II | | | | • | • | | | • | | | |

Can be duplicated

Can be duplicated with optional accessories


COMPARISON TABLE OF KEY CUTTING MACHINES BASED ON KEY TYPE



| TIBBE TYPE KEYS: FORD/JAGUAR (FO19) TIBBE TYPE KEYS: FORD/JAGUAR (FO21) | ABLOY TYPE KEYS (AY1, AY2) | ABUS GRANIT/ LUMA TYPE KEYS (AB32, AB38) | SOFER TYPE KEYS | AVA/CHUBB TYPE KEYS (ACH1, ACH2, ACH3) | FICHET H TYPE KEYS | BRICARD TYPE KEYS (BD100, BD101, BD102) | ASSA D12 TYPE KEYS | MIWA TYPE KEYS (MIW1, MIW2, MIW3) | SIMPLEX TYPE KEYS | MAIL BOX TYPE KEYS | MECHANICAL KEY CUTTING MACHINE |
|---|-------------------------------|---|--------------------|---|-----------------------|--|-----------------------|---|----------------------|-----------------------|--------------------------------------|
| | | | • | | | • | • | | | | Bravo Bd Évolution |
| | | | • | | | | • | • | • | | Bravo D12 |
| | | | • | | | | • | • | • | | Bravo Evolution |
| | | | • | | | | • | • | • | | Bravo Maxima |
| | | | • | | | | • | • | • | | Bravo Maxima Plus |
| | | | • | | | | • | • | • | | Bravo Professional |
| | | | • | | | | • | • | • | | Bravo Sofer 2P |
| | | | • | | | | • | • | • | | Bravo W-Max |
| | | | | | | | | | | | Crown T10 |
| | | | | | | | | | | | Crown T15 |
| | | | • | | | | | • | • | | Delta 2000 A |
| • • | • | • | | | | | | | | | Delta 2000 FO |
| • | • | • | | | | | | | | | Delta 2000 MC |
| • | | | • | | | | | • | • | • | Duo |
| • | • | • | • | • | | | | • | • | • | Duo Plus |
| • | | | • | | | | | • | • | | Duo Power |
| • | | | • | • | | | | • | • | • | Duo Sofer |
| | | | | | | | | | | • | Fastbit |
| • • | • | • | | | | | | | | • | Fastbit II |
| | | | • | | | | | • | • | | Flash 008 |
| | | | • | | | | | • | • | | Flash 008 Extra CEE |
| | | | | • | | | | | | • | Lancer |
| | | | | | • | | | | | | Matrix Evo |
| | | | | | | | | | | | Matrix Evo S |
| | | | | | • | | | | | | Matrix Pro |
| | | | | | • | | | | | | Matrix Pro S |
| | | | | | | | | | | • | Omnia |
| | | | | | | | | | | • | Omnia Max |
| | | | | | | | | | | • | Omnia W-Max |
| | | | | | | | | | | • | Omnia 650 rpm |
| | | | | | | | | | | | Poker Pro |
| | | | • | | | | • | • | • | | Rekord |
| | • | | | | | | | | | | Rekord AY |
| | | | • | | | | • | • | • | | Rekord D12 |
| | | | • | | | | • | • | • | | Rekord S |
| | | | • | | | | • | • | • | | Rekord Sofer |
| | | | • | | | | | • | • | | Speed |
| | | | • | | | | | • | • | | Speed S |
| • | | | | | • | | | | | | Swift |
| • | | | | | | | | | | | Swift Plus |
| | | | | | | | | | | | Twister II |









FUTURA PRO FOR FLAT, VEHICLE, LASER, DIMPLE, CRUCIFORM KEYS AND ENGRAVING





- Lightweight and compact
- Long-lasting components
- Highly reliable
- Silca precision and design
- Tablet supplied
- Fast cutting cycle
- Software updates always available
- Best selling machine with double cutting station

MODELS:

Futura Pro
Futura Pro Engraving
Futura Pro Automotive Kit
Futura Pro Unlimited
Futura Pro Japan

FUTURA PRO KEY TYPES ENGRAVING * Cut with dedicated optional accessories section to identify the key types cut by each model ENGRAVING * Cut with dedicated optional accessories * Cut with dedi





FUTURA PRO FOR FLAT, VEHICLE, LASER, DIMPLE, CRUCIFORM KEYS AND ENGRAVING



| FEATURES IN COMPARISON | FUTURA PRO | FUTURA PRO ENGRAVING | FUTURA PRO AUTOMOTIVE KIT | FUTURA PRO UNLIMITED |
|---|------------|-------------------------|------------------------------|-------------------------|
| Nickel-plated, 4-sided clamp for flat keys | • | • | • | • |
| Nickel-plated clamp for laser and dimple keys | • | • | • | • |
| Retractable tracer point for laser and dimple keys | • | • | • | • |
| Interchangeable jaws of the clamp for laser and dimple keys | • | • | • | • |
| Cutter speed for laser and dimple keys | 12100 rmp | 12100 rmp | 12100 rmp | 12100 rmp |
| Prismatic cutter speed for flat keys | 1585 rmp | 1585 rmp | 1585 rmp | 1585 rmp |
| Detection of the gauge for flat keys | • | • | • | • |
| Detection of the mobile tracer | • | • | • | • |
| Patented rotating system of the flat key clamp | • | • | • | • |
| Flat key decoding through patented optical reader | • | • | • | • |
| Assisted double sided flat key decoding | • | • | • | • |
| Cutting shaft for broken keys | • | • | • | • |
| Automotive equipment | | | • | • |
| Residential key database | • | • | • | • |
| Automotive key database | • | • | • | • |
| Automatic calibration system | • | • | • | • |
| 6 months free database software updates | • | • | • | |
| Unlimited database updates included | | | | • |
| Customer code tables import | • | • | • | • |
| Software functions for engraving | • | • | • | • |
| Engraving equipment | | • | | • |
| Favourite cards management | • | • | • | • |
| Flat key copy by original | • | • | • | • |
| Removable 10" tablet | • | • | • | • |
| Patented tablet stand | • | • | • | • |
| Protective shield that slides back inside the machine | • | • | • | • |
| Weight | kg 20 | kg 20 | kg 20 | kg 20 |







FUTURA AUTO

FOR AUTOMOTIVE KEYS





- Developed especially for the automotive business
- Cuts all types of vehicle keys
- Four-sided clamp with patented rotating system
- Optimized cutting cycles

- Decoding by electric contact
- Interchangeable clamps
- Clamp for flat keys
- Clamp for laser keys

- Patented tablet support
- Software-guided duplicating procedures
- Optional accessories available for Tibbe[®] and Simplex[®] keys







FUTURA AUTO

FOR AUTOMOTIVE KEYS







Futura Auto Software

- Fast key search function
- "Partial cuts" function to identify the correct key cuts
- Key cut preview



- Compatible with InstaCode
- Integrated key hook position
- Easy to update











TRIAX PRO

FOR LASER AND DIMPLE KEYS, AND ENGRAVING



- Top performance, precision and quality
- Long-lasting components made of nickel-plated and stainless steel
- Cut keys counter for each cutter
- Easy-change jaws
- Quick-release cutter change system
- Weight kg 51,5









FUTURA PRO ONE

FOR LASER AND DIMPLE KEYS







- Lightweight and compact
- Long-lasting components
- Highly reliable
- Tablet supplied

- Fast cutting cycle
- Single cutting station
- Interchangeable jaws
- Wide range of optional accessories

- Integrated cutter holder
- 2 USB ports
- Wi-Fi connection
- Weight kg 17

KEY TYPES






















* Can be duplicated with dedicated optional accessories







INOCODE PRO

FOR FLAT, VEHICLE AND CRUCIFORM KEYS



- Top performance, precision and quality
- Widia cutter with AICrN coating
- Patented laser decoder

- Patented dynamometric clamp knob
- Double clamp for copy by original and decoding
- Patented clamp blocking system
- Customisable speed of carriage movements
- Can be used in Stand Alone or with the Silca Code Program
- Various optional clamps and adapter • Weight kg 38







FUTURA EDGE

FOR FLAT, VEHICLE AND CRUCIFORM KEYS









- Lightweight and compact
- Tablet supplied
- Long-lasting components
- Highly reliable
- Fast cutting cycle
- Single cutting station

- Patented laser reader
- Wi-Fi connection
- Weight kg 16












UNOCODE 399 PLUS

FOR FLAT KEYS WITH METAL HEAD



- Perfect for duplicating large quantities of keys and master key systems
- Accessible wide working area
- Pneumatic feeder with high production rates
- Sorter set (FIFO) for key collection (optional)
- Key stacker with high loading capacity (optional)
- Swarf vacuum system (optional)
- External device with start/stop push button
- Can be used in Stand Alone or with the Silca Code Program
- .DAT file management for master key systems
- Weight kg 51

KEY TYPES





UNOCODE 299

FOR FLAT, VEHICLE AND CRUCIFORM KEYS





- Solid, precise and high quality
- 4-sided clamp for flat keys
- Duplication by code only
- Simple and guided clamp calibration
- Blank key detection by electric contact
- Can be used in Stand Alone or with the Silca Code Program
- Wide database of residential and vehicle keys
- Accessible wide working area
- Patented clamp blocking system
- Weight kg 34,5

* Can be duplicated with dedicated optional accessories








UC199

FOR FLAT, VEHICLE AND CRUCIFORM KEYS



- Slotted, 4-sided clamp for single and double sided keys
- Patented laser reader for flat keys
- Flat keys copied by original in one single operation
- Double clamp for copy by original and decoding
- Recognition of installed clamp
- Can be used in Stand Alone or with the Silca Code Program
- Optional: automatic feeder set (no compressed air needed)
- Movable safety shield
- Weight kg 43














- Precise results when cutting steel and brass keys
- 360° rotating clamp, compatible with many optional accessories
- Blank key detection by electric contact

- Various optional tools for pump keys, central stop keys and others
- Patented laser decoder
- Duplicates by original, by decoding and by copy
- Stand-Alone use or with Silca Idea Program
- Job queue management via PC
- Weight kg 43









COMPARISON TABLE OF KEY CUTTING MACHINES BASED ON KEY TYPE

| ELECTRONIC KEY CUTTING MACHINE | SINGLE SIDED FLAT KEYS | DOUBLE SIDED FLAT KEYS | CRUCIFORM KEYS | LASER KEYS | DIMPLE KEYS | BIT/DOUBLE BIT KEYS | PUMP KEYS | TUBULAR KEYS | KEYS WITH INTERNAL CUTS | KEYS WITH VERTICAL CUTS | BRICARD TYPE KEYS (XBD3, XBD4, XBD7) | TIBBE TYPE KEYS: FORD/JAGUAR (FO19) |
|-----------------------------------|---------------------------|---------------------------|-------------------|------------|-------------|------------------------|-----------|-----------------|-------------------------------|-------------------------------|--|--|
| Futura Auto | • | • | | • | • | | | • | | | | |
| Futura Pro | • | • | • | • | • | | | • | | | | |
| Futura Pro Automotive Kit | • | • | • | • | • | | | • | | | | |
| Futura Pro Edge | • | • | • | | | | | | | | | |
| Futura Pro Engraving | • | • | • | • | • | | | • | | | | |
| Futura Pro One | | | • | • | • | | | • | | | | |
| Futura Pro Unlimited | • | • | • | • | • | | | • | | | | |
| Idea | | | | | | • | • | | | | | • |
| Triax Pro | | | | • | • | | | • | | | | |
| UC199 | • | • | • | | | | | | | | | |
| Unocode Pro | • | • | • | | | | | | | | | • |
| Unocode 399 Plus | • | • | • | | | | | | | | | • |
| Unocode 299 | • | • | • | | | | | | | | | • |



COMPARISON TABLE OF KEY CUTTING MACHINES BASED ON KEY TYPE




| TIBBE TYPE KEYS: FORD/JAGUAR (FO21) | ABLOY TYPE KEYS (AY1, AY2) | ABUS GRANIT/ LUMA TYPE KEYS (AB32, AB38) | SOFER TYPE KEYS | AVA/CHUBB TYPE KEYS (ACH1, ACH2, ACH3) | FICHET H TYPE KEYS | MERCEDES TYPE KEYS | BRICARD TYPE KEYS (BD100, BD101, BD102) | ASSA D12 TYPE KEYS | MIWA TYPE KEYS (MIW1, MIW2, MIW3) | SIMPLEX TYPE KEYS | MAIL BOX TYPE KEYS | ELECTRONIC KEY CUTTING MACHINE |
|--|-------------------------------|---|--------------------|---|-----------------------|-----------------------|--|-----------------------|---|----------------------|-----------------------|-----------------------------------|
| • | | | | | | | | | | • | | Futura Auto |
| • | | | | | | • | | | • | • | | Futura Pro |
| • | | | | | | • | | • | • | • | | Futura Pro Automotive Kit |
| | | | | | | | | • | • | • | | Futura Pro Edge |
| • | | | | | | • | | | • | • | | Futura Pro Engraving |
| | | | | | | • | | • | • | | | Futura Pro One |
| • | | | | | | • | | | • | • | | Futura Pro Unlimited |
| • | | • | | • | | | | | | | | Idea |
| • | | | | | | • | | | | | | Triax Pro |
| • | | | • | | | | | • | • | • | | UC199 |
| • | • | • | | | | | | • | • | • | • | Unocode Pro |
| • | • | • | | | | | | • | • | • | • | Unocode 399 Plus |
| • | • | • | • | | | | | • | • | • | • | Unocode 299 |











PROTECH

FOR THE PRODUCTION OF MASTER KEY SYSTEMS



- Fully automatic
- Modular and customizable
- Double station for cutting flat, dimple and laser keys, and for engraving
- Vertical stacker for large quantities of keys
- The best solution for cutting MKS (Master Key Systems)
- Integrated key sorter

- Tilting clamp
- Automatic engraving
- Stack light
- Swarf vacuum system






PROTECH

FOR THE PRODUCTION OF MASTER KEY SYSTEMS




| FEATURES IN COMPARISON | M159 PLUS | M059 PLUS | D159 PLUS | D149 PLUS | F039 PLUS | E049 PLUS | S169 PLUS | R069 | S169 | M159 | M157 | M059 | M057 | D159 | D057 | D149 | D047 | F039 |
|-------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|------|------|------|------|------|------|------|------|------|------|------|
| 30% faster | • | • | • | • | • | • | • | | | | | | | | | | | |
| Tool changer with 6 positions | • | | • | • | | | • | | • | • | • | | | • | | • | | |
| Flat and dimple key cutting station | • | • | | | | | • | | • | • | • | • | • | | | | | |
| Dimple key cutting station | | | • | • | | | | | | | | | | • | • | • | • | |
| Flat key cutting station | | | | | • | • | | • | | | | | | | | | | • |
| Tilting clamp | • | • | • | | | | | | | • | • | • | • | • | • | | | |
| Fixed clamp | | | | • | | • | • | | • | | | | | | | • | • | |
| Engraving with diamond tips | • | • | • | • | • | | | | | • | • | • | • | • | • | • | • | • |
| Engraving with cutter | | | | | | • | • | • | • | | | | | | | | | |
| Abloy® key cutting station | | | | | | | • | • | • | | | | | | | | | |
| Sorter tray | • | • | • | • | • | • | • | • | • | • | | • | | • | | • | | • |














OPTIKA

KEY READING AND KEY COMPARING DEVICE





MODELS:

Optika, Optika Light





OPTIKA KEY READING AND KEY COMPARING DEVICE



| FEATURES IN COMPARISON | OPTIKA | OPTIKA+KEY READER PRG. | OPTIKA LIGHT |
|---|--------|---------------------------|--------------|
| Key profile reading | • | • | • |
| Management of alternative and comparative key profile lists | • | • | • |
| Comparative search type "fine" | • | • | |
| Comparative search type "std" | • | • | |
| Comparative search type "extended" | • | • | |
| Comparative search type "extra" | | • | |
| Original profile and key cutting comparison type "fine" | • | • | |
| Original profile and key cutting comparison type "std" | • | • | |
| Original profile and key cutting comparison type "by user" | • | • | |
| Data exchange with Idea in Stand-Alone mode | • | • | • |
| Data exchange with Unocode 399 Plus via PC | | • | |
| Ignore key cutting length function | • | • | • |
| Save customised profiles | • | • | • |
| Search lock manufacturer | • | • | • |
| Filter for reference market | | • | |
| Direct comparison between two profiles | | • | |
| Special search function for bent keys | | • | |
| Key cutting reading and card search | | • | |
| Full data base | • | • | |
| Management of references in stock | • | • | |
| Management of stock hooks | • | • | • |
| Recurring software updates | • | • | • |
| Unblocking: from Optika Light to Optika | | | • |
| Key Reader Program DVD included | • | • | |
| Regional database | | | • |
| Weight | kg 9 | kg 9 | kg 9 |




MARKER 2000

ENGRAVING DEVICE



- Engraves metal and aluminium items
- Long-lasting marking
- Can be used with Silca Marker Program
- Wide range of optional accessories including clamp for 3 keys and lock
- Weight kg 20










MARKER 2000 ENGRAVING DEVICE







In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users.

Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products.

All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality.

The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.





ITALY AND OTHER COUNTRIES SILCA S.p.A.

Via Podgora, 20 (Z.I.) 31029 VITTORIO VENETO (TV) Tel. +39 0438 9136 Fax +39 0438 913800 E-mail: silca@silca.it www.silca.biz - www.silca.it

UNITED KINGDOM SILCA

Unit 6 Lloyds Court Manor Royal RH10 9QU CRAWLEY Phone: +44 1293 531134 Fax +44 1293 531108 E-mail: sales@silcaltd.co.uk www.silcaltd.co.uk

FRANCE SILCA S.A.S.

12, Rue de Rouen Z.I. Limay-Porcheville 78440 PORCHEVILLE Phone: +33 1 30983500 Fax +33 1 30983501 E-mail: info@silca.fr www.silca.fr

BENELUX H. CILLEKENS & B.V.

Metaalweg, 4 6045 JB ROERMOND Phone: +31 475 325147 Fax +31 475 323640 E-mail: info@hcillekens.nl www.hcillekens.nl

SPAIN SILCA KEY SYSTEMS S.A.

C/Santander 73A 08020 BARCELONA Phone: +34 93 4981400 Fax +34 93 2788004 E-mail: silca@silca.es www.silca.es

UNITED KINGDOM ADVANCED DIAGNOSTICS Ltd.

Eastboro Fields
Hemdale Business Park
CV11 6GL NUNEATON
Phone: +44 2476 347000
Fax + 44 2476 347100
E-mail: sales@advanced-diagnostics.com
www.advanced-diagnostics.com

THE THEO. ADDITION OF THE PROPERTY OF THE PROP

dormakaba Group

GERMANY SILCA GmbH

Siemensstrasse, 33

Phone: +49 2051 2710

Fax +49 2051 271172

E-mail: info@silca.de

42551 VELBERT

www.silca.de